



**COMPREHENSIVE RURAL HEALTH SERVICES PROJECT, BALLABGARH  
CENTRE FOR COMMUNITY MEDICINE, A.I.I.M.S., NEW DELHI-110029  
BALLABGARH - 121004 (HR) Ph. 0129-2241362**

F.No. 07/CRHSP-AIIMS/Ballabgarh/2025-26

Dated: - 31/01/2026

**Subject:- Purchase of reagents of HbA1c Control on proprietary Basis for CRHSP, Ballabgarh.**

The CRHSP, Ballabgarh proposes to procure the following items manufactured by M/s Bio-Red Laboratories(India)Private Limited through their authorized distributor M/s Era Tech Medisystems Pvt. Ltd., on Proprietary Basis. The proposal submitted by the above mentioned firm and PAC certificates are attached & uploaded on AIIMS website:-

Sr.No.	Description	Qty.	Per	Rate each Rs. Ps.	GST
01	HbA1c Control Cat No.-740	03Nos.	Each	Rs. 13,400.00	5%

The above documents are being uploaded for open information to submit objections, comments, if any, from any manufacturer/distributor regarding proprietary nature of the reagents/items within 15 days from the date of issue/uploading of the notification giving reference Professor-in-Charge, CRHSP, Ballabgarh on or before 14/02/2026 up to 5:00 P.M. on email address [crhsp.ballabgarh@gmail.com](mailto:crhsp.ballabgarh@gmail.com) / [harpalsingh@aiims.gov.in](mailto:harpalsingh@aiims.gov.in), failing which it will be presumed that any other vendor is having no comments to offer and case will be decided on merits.

Harpal Singh  
Store In- Charge

CRHSP, Ballabgarh  
हरपाल सिंह / HARPAL SINGH

वरिष्ठ फार्मसी अधिकारी/Senior Pharmacy Officer  
व्यापक ग्रामिण स्वास्थ्य योजना, बल्लभगढ़  
C.R.H.S. Project, Ballabgarh  
सामुदायिक चिकित्सा विज्ञान केन्द्र  
Centre for Community Medicine  
अ.भा.आ.सं./A.I.I.M.S.  
नई दिल्ली/New Delhi-110029

Dr. Mohan Lal Bairwa  
Associate Professor  
CRHSP, Ballabgarh

डॉ. मोहन लाल बैरवा / Dr. Mohan Lal Bairwa  
सह-आचार्य/Associate Professor  
व्यापक ग्रामिण स्वास्थ्य योजना, बल्लभगढ़  
C.R.H.S. Project, Ballabgarh  
सामुदायिक चिकित्सा विज्ञान केन्द्र  
Centre for Community Medicine  
अ.भा.आ.सं./A.I.I.M.S.  
नई दिल्ली/New Delhi-110029



**ERA TECH**  
STRIVE TO SERVE MANKIND

Ref. ETQ/Gov./083/2025-26

Date: 10/12/2025

To,  
**Professor In-Charge AIIMS,**  
CRHS Project, AIIMS Hospital,  
N.D. Ballabhgarh Faridabad,  
Haryana 121004, India

**SUB: Quotation of HbA1c Control.**

Sr. No	Product	Qty.	Unit Price	GST	MRP
1.	HbA1c Control Cat No- 740	01 Nos.	13,400/-	5%	14,070/-

**COMPANY LICENSE DETAILS**

- |                           |                               |
|---------------------------|-------------------------------|
| 1. GSTIN- 09AACCE4389H1ZC | 3. WLF20B2025UP000748         |
| 2. PAN – AACCE4389H       | 4. CIN- U51909DL2010PTC202715 |

**TERMS & CONDITIONS-**

1. Order and payment in favour of Era Tech Medisystems Pvt. Ltd.
2. Quotation Validity 31<sup>st</sup> of March 2026.
3. Delivery of goods as soon as possible from the date of receiving confirmation of work order.

**ENCLOSED-**

1. Proprietary Certificate.
2. Authorization Certificate
3. Lowest Rate Certificate

Thanking you and assuring you of our best services at all time.

**Regards,**

**For- Era Tech Medisystems Pvt Ltd**



**Name:** Priyanshu Chaubey

**Designation:** Executive Institutional Business

**Phone:** +91 9643 409096

**Era Tech Medisystems Pvt. Ltd.**

905, 9<sup>th</sup> Floor, Corporate Park, Tower- A-1

Sector-142, Noida, U.P.-201305

Contact No. 01204448586

Email: tenders.etm@gmail.com

ETL-Gov./062/2025-26

To,  
**Professor In-Charge AIIMS,**  
CRHS Project, AIIMS Hospital,  
N.D. Ballabhgarh Faridabad,  
Haryana 121004, India

**Subject: Lowest Price Declaration**

**Respected Sir,**  
Greetings from *Era Tech Medisystems Pvt. Ltd.*

We declare that our quotation no: ET/Gov./096/25-26 on dated 10/12/2025. Quoted Bio-Rad HbA1c Control, Cat No: 740 is lowest as per my best knowledge.

We have not been quoted below our quote to any Govt. or Pvt. Institutions. And, business dealings and we have not been de-recognized/black listed by any State Govt. / Union Territory / Govt. of India / Govt. Organization / Govt. Health Institutions for supply of Not of Standard quality item/Non-supply.

We declare that the above information is true to the best of our knowledge and belief.

Thanking you and assuring you our best service at all-time

**Regards,**  
**For- Era Tech Medisystems Pvt Ltd**



**Name:** Priyanshu Chaubey  
**Designation:** Executive Institutional Business  
**Phone:** +91 9643409096

**Enclosed:**

- 1 Quotation
- 2 Proprietary Certificate
- 3 Authorization Certificate

**Era Tech Medisystems Pvt. Ltd.**

905, 9<sup>th</sup> Floor, Corporate Park, Tower- A-1  
Sector-142, Noida, U.P.-201305  
Contact No. 01204448586  
Email: [tenders.etm@gmail.com](mailto:tenders.etm@gmail.com)

Ref. no.: BRI/CDG/AIIMSF/N/2025/0495  
December 12, 2025

To,

**Professor In-Charge AIIMS,  
CRHS Project, AIIMS Hospital,  
N.D. Ballabgarh Faridabad, Haryana.****Subject: Authorization letter for vendor registration for Bio-Rad supplies.**

Dear Sir,

We, **Bio-Rad Laboratories (India) Private Limited**, having its registered office and head office at 9th Floor, Tower A, EMAAR Digital Greens, Sector 61, Golf Course Extension, Gurugram – 122 102, Haryana, are a subsidiary of Bio-Rad Laboratories, Inc., having its office at 1000, Alfred Nobel Drive, Hercules 94547, California, United States of America. Our parent company is a proven and reputable manufacturer of diagnostics instruments and reagents having manufacturing facilities at United States of America, France and Switzerland.

We herewith authorize **M/s Era Tech Medisystems Pvt. Ltd.**, having its office at **905, 9th Floor, Corporate Park, Tower A1, Sector 142, Noida, 201305** to quote, supply and raise invoice for our diagnostics product range to your esteemed institute.

We assure you that in the event we replace our dealer / authorized distributor, we will continue to provide all the product(s) and service(s) as assured and are also as required by the principal, as the case may be, through our new dealer / authorized distributor or directly, as may be required.

**This authorization is valid till December 11, 2026.**

Yours sincerely,

For **Bio-Rad Laboratories (India) Private Limited****VIPUL  
BHRIGU**Digitally signed by  
VIPUL BHRIGU  
Date: 2025.12.12  
12:27:37 +05'30'Vipul Bhargu  
Head – Govt. Affairs and International BusinessFor **Bio-Rad Laboratories (India) Private Limited****Rohan  
Jhusiwala**Digitally signed by  
Rohan Jhusiwala  
Date: 2025.12.12  
13:15:28 +05'30'Rohan Jhusiwala  
Legal Counsel – India



**Bio-Rad**  
**Laboratories (India) Private Limited**  
(A wholly owned subsidiary)

EMAAH Digital Greens, 9th Floor,  
Tower A, Sector-81, Golf course extension,  
Gurgaon - 122102  
Tel : (91)-124-4029300  
Email : sales.india@bio-rad.com  
Tech Support : 1800-103-1224 09073177477  
www.bio-rad.com  
GST No. 06AAACB3202A1ZB



Registered Office: Plot No. 1270 Basement, Lal Dora, Village Kapashera  
Opposite Fun-Food Village, New Delhi - 110037, Tel: 91-11-25065913  
CIN No. - U3210+DL1996PTC078494 GST No. 07AAACB3202A1ZP

January 02, 2024

## PROPRIETARY CERTIFICATE

This is to certify that following items are the proprietary products to Bio-Rad Laboratories, 1000, Alfred Noble Drive, Hercules, California USA - 94547 :

Cat #	Product Description
C-310-5	Assayed Chemistry Control Level 1
C-315-5	Assayed Chemistry Control Level 2
740	Liquichek Diabetes Control Trilevel
370	Lyphocheck Immunoassay Plus Control Tri level
371	Lyphocheck Immunoassay Plus Control Level 1
372	Lyphocheck Immunoassay Plus Control Level 2
373	Lyphocheck Immunoassay Plus Control Level 3
397	Liquichek Urine Chemistry Control Level 1
398	Liquichek Urine Chemistry Control Level 2
BC50	EQAS Clinical Chemistry (Monthly) Program
BC75	EQAS Immunoassay (Monthly) Program
BC80	EQAS Hemoglobin Program
BC90	EQAS Hematology Program
760	Liquichek Hematology-16 Control
487	Liquichek Hematology Control for Sysmex
144	Liquichek Hematology Control
144x	Liquichek Hematology Control
553	Hemoglobin A2 Control





**Bio-Rad**  
**Laboratories (India) Private Limited**  
(A wholly owned subsidiary)

EMAAR Digital Greens, 9th Floor  
Tower A, Sector 61, Golf course extension,  
Gurgaon - 122102  
Tel : (91)-124-4029300  
Email : sales.india@bio-rad.com  
Tech Support : 1830-103-1224 09873177477  
www.bio-rad.com  
GST No.: 06AAACB3202A12R



Registered Office Plot No. 1270 Basement, Lal Dora, Village Kapashera,  
Opposite Fun-Food Village, New Delhi - 110037. Tel: 91-11-25065913  
CIN No. : U3210+DL1996PTC078494. GST No.: 07AAACB3202A12P

To the best of our knowledge and believe the products mentioned above 3<sup>rd</sup> party quality control are only manufactured and supplied by Bio-Rad or through any representative authorized by Bio-Rad.

**For Bio-Rad Laboratories (India) Pvt. Ltd.**

*Himanshu Singh*



**Himanshu Singh**  
**Account Manager-North**  
**Mob No : 8800179687**



Ballabgarh-121004, Haryana  
Requisition Form - Materials and Equipments  
(Store section)

Name of the UNIT/Section:.....LABORATORY

CAPITAL letters only). . . . 6 month

14 OCT 2025  
0733

(Note: All entries should be written in CAPITAL letters only)

Iplaw  
 Requesting Authority  
 SD (M4)  
 Ashok Kankar  
 Signature of the S.F.O. Lab  
 Requesting Authority

Signature of the Store  
Officer

Sponsoring Author

Signature of the Faculty

Dr. Manya Prasad, Assistant Professor  
C.R.H.S.P. - Ballabgarh  
Centre for Community Medicine  
New Delhi

Approving Authority:

Signature of the Professor-  
in-Charge

C.R.H.S. PROJECT, BALLABGARH  
CENTRE FOR COMMUNITY MEDICINE  
A.I.I.M.S. HOSPITAL, NEW DELHI-110029.

PROPRIETARY SPECIFIC BRAND GOODS CERTIFICATE

1. Item/Type/Model No. required along with specification *model. HBAIC Analyzer (ARKRAY HA-8180V)*
2. Is the item a spare part attachment or accessory for an existing equipment *Consumable (Reagent)*
3. Name of the manufacturer/supplier of the item proposed by the indenter *authorized Supplier M/s. ERA Tech.*
4. Are they sole manufacturers/sold Distributors of the item *authorized Supplier M/s. ERA Tech*
5. Is there any other item with similar/ equivalent specification available in the market to meet the job requirement envisaged. If the answer is Yes, why the same can't be procured. Demanding Officer should bring out comparative functional advantages list effectiveness of the recommended item from these offered by other. *NA*
6. What were the efforts made to locate alternative source of supply or use other substitutes. *NA*
7. Why open/limited tender can't be resorted to for locating alternative sources. *Proprietary items*
8. Is the proprietary item is certifying that the rates are reasonable or not. *Proprietary certificate enclosed*
9. Any other justification for procuring item from single source. *& Rate certificate enclosed  
authorized certificate enclosed*

Signature of Indenter  
(Demanding Officer)

*डॉ. मोहन लाल बैरवा / Dr. Mohan Lal Bairwa*  
सह-आचार्य/Associate Professor  
व्यापक ग्रामिण स्वास्थ्य योजना, बल्लभगढ़  
C.R.H.S. Project, Ballabgarh

I certify that the item at Sr. No. 1 above is required to be procured on single tender basis as, the source of supply is definite known the specified brand goods was advantages in meeting our functional requirements and limited tender system could be ~~not~~ *would* serve no useful purpose in this particular case. *dispensed with as they*  
(Strike out...however is no applicable)

*डॉ. मोहन लाल बैरवा / Dr. Mohan Lal Bairwa*  
सह-आचार्य/Associate Professor  
व्यापक ग्रामिण स्वास्थ्य योजना, बल्लभगढ़  
C.R.H.S. Project, Ballabgarh  
सामुदायिक चिकित्सा विज्ञान केन्द्र  
Centre for Community Medicine  
अ.भा.आ.स. नई दिल्ली-110029



**Report ID:** GEM/GARPTS/27012026/PTAH0JZM8FGN

**Report Name:** HbA1c Control Cat No-740

**Generated By:** Harpal Singh , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 27/01/2026

**Valid till:** 26/02/2026

### GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: HbA1c Control Cat No-740**

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Estimated Value Of Procurement: ₹ 42210.0

Category Name	Order Count			Order Value (in Lakhs)			
	Catalog Count	Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Flying Insect Control Traps - Fly Catcher	4,571	15,529	57	343	4,550	1,040	321
Towel Hand Cotton Turkish (IAF)	5,767	13,042	16	95	1,098	63	129
Diesel Exhaust Fluid ISI marked to IS 17042	0	0	0	0	0	0	0
Cricket Bat (V2) Conforming to IS 828	28	451	0	0	56	0	0
Controlled Percolating Hose For Fire Fighting As per IS 8423 Latest Amendment	79	216	15	156	129	168	385

H  
27/1/2026

Category Name	Catalog Count	Order Count		Order Value (in Lakhs)			
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
CAT 6 Information outlet	755	10,406	102	277	951	132	135
Handloom Cotton Bed Sheets (V2) as per IS 745	856	583	119	116	1,721	57,868	20,547
Astronomical Timer for Street Light Control (Timer Controls) as per IS 9000	709	2,829	29	431	2,299	54	824
Enamelled Round Copper Wire as per IS 13730 (Part 0 / Sec 1)	1,119	6,949	131	359	1,431	154	334
Temperature Controller	307	565	5	30	114	2	21

H  
27/1/2026