ALL INDIA INSTITUTE OF MEDICAL SCIENCES
ANSARI NAGAR, NEW DELHI-1 10029
STORE SECTION (DO)

XX-09/SO(DO)/O&G/PAC/2026-27/M&E **Dated: -12.11.2026**

Subject: Proposal for procurement of "**Mobile Endoscopy Unit (Ambulatory Hysteroscopy) on PAC.**" for the Department of **Obstetrics and Gynecology, AIIMS, New Delhi-110029 on PAC Basis** to be published on AIIMS, Website for 15 days inviting comments thereon.

****

Store Section (DO) has received a request from the department of **Obstetrics and Gynecology** for the procurement of **Mobile Endoscopy Unit (Ambulatory Hysteroscopy)** from OEM M/s. Karl Storz SE & Co.KG, Germany, U.S.A, **Switzerland and Estonia through its authorized distributor M/s Medex India Pvt. Ltd. along with the following documents are as under: -**

1. Principal Proprietary Certificate (Copy Attached)
2. PAC duly signed by Departmental TSEC (Copy Attached)
3. Technical Specification duly signed by Departmental TSEC (Copy Attached)
4. Performa Invoice from principle/authorized distributor M/s Medex India Pvt Ltd (Copy Attached)
5. Authorized to M/s Medex India Pvt Ltd (Copy Attached)
6. GeM non-availability report (Copy Attached)
7. Land Boarder sharing certificate (Copy attached)
8. Non-Black listing Certificate (Copy attached)

The above documents are being uploaded for open information to submit objections, comments, if any, from any manufacturer regarding proprietary nature of equipment/ item within issue of 15 days giving tender reference No. **XX-09/SO(DO)/O&G/PAC/2026-27/M&E**. The Comments should reach to the office of Sr. Store Officer (DO), Store Section (DO), 1st Floor Animal Facility, Near Gate No. 02, Ansari Nagar, AIIMS, New Delhi-110029 on or before 27/11/2026 at 04:00 p.m. failing which it will be presumed that any other vendor is having no comment to offer and case will be decided on merits.

MANOHAR ARYA
SR. STORES OFFICER (DO)

ALL INDIA INSTITUTE OF MEDICAL SCIENCES
ANSARI NAGAR, NEW DELHI-110 029

PROPRIETORY/ARTLCLE CERTIFICATE (PAC) MACHINERY & EQULPMENT

The indented goods are manufactured by	M/s Karl Storz Endoskope
Item Name	Mobile Endoscopy unit (Ambulatory Hysteroscopy)
Model No.	Tele Peak Mobile unit
Vital Technical Performance Parameters required which makes the requirement Proprietary	Camera control unit, LED light source, full HD touch screen monitor and documentation functions in a portable unit suitable for outdoor and indoor procedure requiring quick transfer
No other make or model is acceptable for the following reasons	Essential technical requirement is manufacturer-confirmed compatibility through the applicable X- LINE/C-LINE connections, including image acquisition and the camera or endoscope control functions required for the intended procedures. Should be compatible with existing telescopes and camera systems

We have assessed the market and we do hereby certify that item 'Mobile Endoscopy' is a proprietary item of the manufacturer/Supplier M/s. Karl Storz Endoskope M/s Medex India (P) Ltd and cannot be substituted with a similar item from other vendors for its intended use.

It is certified that market survey has been done and found that no other manufacturer is manufacturing similar/equivalent specifications which can fulfill the vital requirement of end user.

डॉ. नीना मल्होत्रा / Dr. Neena Malhotra
आचार्य एवं विभागाध्यक्ष / Professor & Head
प्रसूति एवं स्त्री रोग विभाग
Dept. of Obstetrics & Gynaecology
अ.भा.आ.सं., नई दिल्ली / A.I.I.M.S., New Delhi-110029,

डॉ. रीटा माहे /Dr. Reeta Mahey
आचार्य/ Professor
DMC No. 37835
प्रसूति एवं स्त्री रोग Prof/Dept. of Obst.& Gynae.
अ.भा.आ.सं. नई दिल्ली/AIIMS, New Delhi-110029

डॉ. जुही भारती / Dr. JUHI BHARTI
अपर आचार्य / Additional Professor
प्रसूति एवं स्त्री रोग विभाग
Department of Obstetrics & Gynaecology
अ.भा.आ.सं., नई दिल्ली / A.I.I.M.S., New Delhi-110029

More than 75 Years Shaping the Future of Endoscopy with you

STORZ
KARL STORZ – ENDOSKOPE

KARL STORZ Endoscopy India Private Ltd. • 28, Barakhamba Road • New Delhi-110 001

Dated: 03-03-2026

The Director
All India Institute of Medical Sciences
Ansari Nagar
New Delhi-110 029.

PROPRIETARY CERTIFICATE

We hereby confirm that the articles in the set as per the list shared below mentioned are manufactured/marketed by KARL STORZ Germany and are quoted by our authorized dealer M/s Medex India Pvt Ltd.

S. No.	CAT No.	Description
1	TP101	TELE PACK + endoscopic video unit with 2 camera inputs (X Line and C-Line) for use with flexible video endoscopes and one chip camera heads (up to FULL HD), incl. LED light source, digital Image Processing Module with USB and network storage options as well as 18.5" Full HD touchscreen monitor, power supply 100...240 VAC, 50/60 Hz including: 400 F Mains Cord, length 300 cm
2	TH110	IMAGE1 S™ HX One-Chip FULL HD Camera Head, 50/60 Hz, fixed focus, progressive scan, soak able, gas and plasma-sterilizable, focal length f = 16 mm, 2 freely programmable camera head buttons, for use with IMAGE1 XLINK TC301, TELE PACK+ and TP101
3	495NAC	Fiber Optic Light Cable, with straight connector, extremely heat- resistant, with safety lock, increased light transmission, diameter 3.5 mm length 230 cm, can be used for ICG applications
4	26331101-1	HAMOU® ENDOMAT® SCB, Set, power supply 100-240 VAC, 50/60 Hz consisting of: 26331120-1 HAMOU® ENDOMAT® SCB 20090170 SCB Connecting Cable. 10cm 031523-03 Cassette Tubing Set PC, for single use 031524-03 Cassette Tubing Set FC, for single use
5	UP008	Tubing Set, Irrigation, PC, reusable, sterilizable, for use with ENDOM AT® Select SCB UP 210 and HAMOU® ENDOMAT® SCB 26331120-1
6	26120BHA	HAMOU® Examination and Contact Hysteroscope III, with HOPKINS® forward - oblique telescope 30°, magnification 1x, 30x, diameter 2.9 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated, Colour code: red
7	26153BI	BETTOCCHI Operating Sheath, size 4.3mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LUER Lock adaptor, for use with CF operating sheath 26153 BO
8	26153BO	BETTOCCHI Continuous-Flow Operating Sheath, size 5.mm, with 1 stopcock and 1 LUE R-Lock adaptor, for use with operating s heath 26153 BI
9	26160EHW	Scissors, blunt, single jaws, semirigid, 5 Fr., length 40 cm
10	26160UHW	Biopsy and Grasping Forceps, double action jaws, semirigid, 5 Fr., length 40 cm
11	26158BE	Bipolar Vaporization Electrode, semirigid, 5 Fr., needle electrode angled 90°, length 42 cm
12	26176LV	Bipolar High Frequency Cord, length 300 cm, pin distance on the unit side 28.58 mm, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valley lab coagulators, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116, 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valley lab coagulators, for use with high frequency surgical units with bipolar sockets with 28.58 mm pin distance
13	UG803	"Subrack for COR Mobile Stand, low, rides on 4 antistatic dual wheels, with locking brakes, low beam module incl. cable manager and handle, dimensions in mm (w x h x d): 670 x 1 019 x 677, consisting of: UG800 Base Module for COR Mobile Stand UG801 Beam Module for COR Mobile Stand, small"

Corpo
KARL
1st Floor, Bl Dabal Das Bhawan
28, Barakhamba Road
New Delhi-110 001 / India
Toll Free: 1800 1234 669
+91 11 4874 3610
corporate@karlstorz.in
Narena Industrial Area, Phase-1
New Delhi-110 028 /India
Fax: +91 11 2589 6866
www.karlstorz.com

14	UG854	"Stainless Steel Tube for COR Mobile Stand, for mounting matching accessories, diameter 25 mm, length 400 mm, for use with Top Cover Monitor Holder COR Mobile Stand UG8 11"
15	UG811	"Top Cover, Monitor Holder, COR Mobile Stand, dimensions in mm (w x h x d): 158.5 x 13 x 110, for use with Beam Modules UG801 and UG802"
16	UG857	"Monitor Module for COR Mobile Stand, VESA 75/100 monitor mount, load capacity for monitor module max. 18 kg, for use with round tube 25 mm"
17	UG860	"Drawer for COR Mobile Stand, narrow, incl. installation accessories, lockable, max. load capacity on drawer 24 kg and within drawer 5 kg, dimensions in mm (w x h x d): 315 x 141.5 x 443.5, for use with low Subrack for COR Mobile Stand, UG803 or high Subrack for COR Mobile Stand UG804"
18	26161VB	Examination sheath, 3.8 mm, with 1 LUER Lock adaptor, for use with CF-Examination sheath 26161 VC
19	26161VC	Cont.-Flow Examination sheath, 4.5 mm, with 1 LUER-Lock adaptor, for use with examination sheath 26161 VB and 26162VB
20	26331142	Silicone Tubing Set for suction, sterilizable, for use with Hamou Endomat 26331120-1
21	UP014	Membrane
22	20040241U S	USB silicone keyboard, with US-English character set, USB plug, with Touchpad to be used with TC200, TC201, WD310, WD300, WD350, TC100, TP100, TP200, TP101
23	20300050	Suction Bottle, 5 l, sterilizable
24	20300034	Bottle Cap, for suction bottles 1.5 l and 5 l, sterilizable
25	20300032	Bottle Stand, for suction bottle 5l

These are part of the existing KARL STORZ equipment installed and is most suitable and compatible to work with existing equipment and use of any other make may not be compatible with the original equipment. Instruments/equipment manufactured by other company with different specification may hamper patient care and may not fit/match with the existing equipment.

Thanking you.

For KARL STORZ Endoscopy India Pvt. Ltd.

Authorized Signatory

COMMITTED TO ADVANCING GOOD HEALTH
MEDEX
INDIA (P) LTD.
S-62, Ground Floor and Part Basement
Okhla Industrial Area Phase II
New Delhi -110 020 (INDIA)
Ph.: +91-11-41316370 / 41316172
E-mail : medexindia@gmail.com

MI/AIIMS-GYNAE/2025-26/2309

05th March, 2026

To,
The H.O.D,
Dept. Of Obst. & Gynae,
All India Institute of Medical Sciences,
Ansari Nagar,
New Delhi – 110 029.

Sub: Submission of our quotation for Mobile Endoscopy Unit (Ambulatory Hysteroscopy)

Dear Sir,

For your kind reference, we are enclosing herewith the documents:

1) Our Quotation
2) Authority Letter issued by Principal Manufacturer
3) Proprietary Certificate
4) Non-Availability on GeM Certificate
5) Rate Reasonability Certificate
6) Fall Clause Certificate
7) Non-Blacklisting Certificate
8) Copy of GST Certificate
9) Copy of PAN Card

We hope you find the enclosed offer of your interest.

Thanking you,

Yours faithfully,
For MEDEX INDIA (P) LTD.

DIRECTOR
Encls: as above.

MI/AIIMS-GYNAE/2025-26/2093

29th January, 2026

To,
The Director,
All India Insitute of Medical Sciences,
Ansari Nagar,
New Delhi- 110029

COMMITTED TO ADVANCING GOOD HEALTH
MEDEX INDIA (P) LTD.
S 68, Ground Floor and Part Basement
Okhla Industrial Area Phase II
New Delhi -110 020 (INDIA)
Ph.: +91-11-41316370 / 41316172
E-mail : medeximpl@gmail.com

QUOTATION

S/N	Code	Product Description	Qty.		Unit Price (Excl GST)	Total Price (Excl GST)
1	TP101	TELE PACK + endoscopic video unit with 2 camera inputs (X Line and C-Line) for use with flexible video endoscopes and onechip camera heads (up to FULL HD), incl. LED light source, digital Image Processing Module with USB and network storage options as well as 18.5" Full HD touchscreen monitor, power supply 100...240 VAC, 50/60 Hz including: 400 F Mains Cord, length 300 cm	1	Nos.	14,75,271.00	14,75,271.00
2	TH110	IMAGE1 S™ HX One-Chip FULL HD Camera Head, 50/60 Hz, fixed focus, progressive scan, soakable, gasand plasma-sterilizable, focal length f = 16 mm, 2 freely programmable camera head buttons, for use with IMAGE1 XLINK TC301, TELE PACK+ and TP101	1	Nos.	8,22,202.00	8,22,202.00
3	495NAC	Fiber Optic Light Cable, with straight connector, extremely heat- resistant, with safety lock, increased light transmission, diameter 3.5 mm length 230 cm, can be used for ICG applications	2	Nos.	66,000.00	1,32,000.00
4	26331101-1	HAMOU® ENDOMAT® SCB, Set, power supply 100-240 VAC, 50/60 Hz consisting of: 26331120-1 HAMOU® ENDOMAT® SCB 20090170 SCB Connecting Cable, 10cm 031523-03 Cassette Tubing Set PC, for single use 031524-03 Cassette Tubing Set FC, for single use	1	Nos.	12,53,444.00	12,53,444.00
5	UP008	Tubing Set, Irrigation, PC, reusable, sterilizable, for use with ENDOM AT® Select SCB UP 210 and HAMOU® ENDOMAT® SCB 26331120 1	2	Nos.	77,081.00	1,54,162.00
6	26120BHA	HAMOU® Examination and Contact Hysteroscope III, with HOPKINS® forward - oblique telescope 30°, magnification 1x, 30x, diameter 2.9 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated, colour code: red	2	Nos.	3,72,170.00	7,44,340.00
7	26153BI	BETTOCCHI Operating Sheath, size 4.3mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LU ERLock adaptor, for use with CF operating sheath 26153 BO	2	Nos.	57,284.00	1,14,568.00
8	26153BO	BETTOCCHI Continuous-Flow Operating Shea th, size 5.mm, with 1 stopcock and 1 LUF R-Lock adaptor, for use with operating s heath 26153 BI	2	Nos.	46,146.00	92,292.00
9	26160EHW	Scissors, blunt, single jaws, semirigid, 5 Fr.. length 40 cm	2	Nos.	80,455.00	1,60,910.00
10	26160UHW	Biopsy and Grasping Forceps, double action jaws, semirigid, 5 Fr., len gth 40 cm	2	Nos.	93,063.00	1,86,126.00
11	26158BE	Bipolar Vaporization Electrode, semirigid, 5 Fr., needle electrode angled 90°, length 42 cm	2	Nos.	37,298.00	74,596.00
12	26176LV	Bipolar High Frequency Cord, length 300 cm, pin distance on the unit side 28.58 mm, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116, 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for use with high frequency surgical units with bipolar sockets with 28.58 mm pin distance	2	Nos.	14,851.00	29,702.00

13	UG803	"Subrack for COR Mobile Stand, low, rides on 4 antistatic dual wheels, with locking brakes, low beam module incl. cable manager and handle, dimensions in mm (w x h x d): 670 x 1 019 x 677, consisting of: UG800 Base Module for COR Mobile Stand UG801 Beam Module for COR Mobile Stand, small"	1	Nos.	1,58,751.00	1,58,751.00
14	UG854	"Stainless Steel Tube for COR Mobile Stand, for mounting matching accessories, diameter 25 mm, length 400 mm, for use with Top Cover Monitor Holder COR Mobile Stand UG8 11"	1	Nos.	19,406.00	19,406.00
15	UG811	"Top Cover, Monitor Holder, COR Mobile Stand, dimensions in mm (w x h x d): 158.5 x 13 x 110, for use with Beam Modules UG801 and UG802"	1	Nos.	9,104.00	9,104.00
16	UG857	"Monitor Module for COR Mobile Stand, VESA 75/100 monitor mount, load capacity for monitor module max. 18 kg, for use with round tube 25 mm"	1	Nos.	23,284.00	23,284.00
17	UG860	"Drawer for COR Mobile Stand, narrow, incl. installation accessories, lockable, max. load capacity on drawer 24 kg and within drawer 5 kg, dimensions in mm (w x h x d): 315 x 141.5 x 443.5, for use with low Subrack for COR Mobile Stand, UG803 or high Subrack for COR Mobile Stand UG804"	1	Nos.	88,054.00	88,054.00
18	26161VB	Examination sheath, 3.8 mm, with 1 LUE Rlock adaptor, for use with CF-Examinat ion sheath 26161 VC	2	Nos.	60,467.00	1,20,934.00
19	26161VC	Cont.-Flow Examination sheath, 4.5 mm, with 1 LUER-Lock adaptor, for use with examination sheath 26161 VB and 26162VB	2	Nos.	35,645.00	71,290.00
20	26331142	Silicone Tubing Set for suction, sterilizable, for use with Hamou Endomat 26331130-1	1	No.	8,572.00	8,572.00
21	UP014	Membrane	2	No.	23,368.00	46,736.00
22	20040241US	USB silicone keyboard, with US-English character set, USBplug, with Touchpad to be used with TC200, TC201, WD310, WD300, WD350, TC100, TP100, TP200, TP101	1	No.	36,100.00	36,100.00
23	20300050	Suction Bottle, 5 l, sterilizable	1	No.	12,638.00	12,638.00
24	20300034	Bottle Cap, for suction bottles 1. 5 l and 5 l, sterilizable	1	No.	42,654.00	42,654.00
25	20300032	Bottle Stand, for suction bottle 5l	1	No.	11,834.00	11,834.00
					Total F.O.R.Destination Price (Before GST)	58,89,060.00
					Add: GST @ 5% (For Item Nos. 4,5,6,7,8,9,10,11,18,19,20,21)	1,51,398.50
					Add: GST @ 18% (For Item Nos. 1,2,3,12,13,14,15,16,17)	5,14,996.20
					Total F.O.R.Destination Price (Incl of GST)	65,55,454.70

TERMS & CONDITIONS

1. The quoted price are Total F.O.R Destination basis.
2. GST EXTRA as mentioned above or whatever applicable at the time of delivery/raising of bills).
3. Our GST No.07AAACM9017E1ZP.
4. Payment: 100% payment immediately on submission of our bills.
5. Delivery :12-16 weeks from the date of receipt of supply order from the institute.
6. The quoted prices are valid up to 90 days.
7. All transactions are subject to Delhi jurisdiction only.
8. Warranty 2 years on CAT No. TP101, TH110, 26120BHA & UG803 against manufacturing defects only.
9. CMC @ 5% per year on Base Value (Before GST) from 3rd to 10th year as detailed below:

Year	CMC Price (Excl GST)	GST	CMC Price (Incl GST)
3rd Year	2,94,453.00	18%	3,47,454.54
4th Year	2,94,453.00	18%	3,47,454.54
5th Year	2,94,453.00	18%	3,47,454.54
6th Year	2,94,453.00	18%	3,47,454.54
7th Year	2,94,453.00	18%	3,47,454.54
8th Year	2,94,453.00	18%	3,47,454.54
9th Year	2,94,453.00	18%	3,47,454.54
10th Year	2,94,453.00	18%	3,47,454.54

for MEDEX INDIA (P) LTD.

DIRECTOR

75 Years Shaping the Future of Endoscopy with you

STORZ
KARL STORZ -- ENDOSKOPE

KARL STORZ Endoscopy India Private Ltd. • 28, Barakhamba Road • New Delhi-110 001

To,

Dated: 27-12-2024

The Director
All India Institute of Medical Sciences
Ansari Nagar
New Delhi-110 029.

Ref: Proprietary Tender for Ambulatory Hysteroscopy

Dear Sir,

We KARL STORZ ENDOSCOPY INDIA PVT.LTD .100% wholly owned subsidiary of KARL STORZ SE & CO KG, GERMANY an established and reputed manufacturers of Ambulatory Hysteroscopy having factories and office at Germany, Switzerland, USA and Estonia hereby authorize **Messrs Medex India Pvt. Ltd., S-63, Ground Floor and Part Basement, Okhla Industrial Area Phase II, New Delhi- 110020** as our distributor to quote against the above-mentioned tender at your esteemed institutions.

For KARL STORZ ENDOSCOPY INDIA PVT LTD

AUTHORIZED SIGNATORY

Corporate & Registered Office:
KARL STORZ Endoscopy India Private Ltd.
11th Floor, Dr. Gopal Das Bhawan
28, Barakhamba Road New Delhi-110 001 / India
CIN No. U93119DL1995PTC069600 Fax: +91 11 [illegible]
www.karlstorz.com

Phone: +91 1143 7430 00
Toll free: 1800 1234 666
Fax: +91 11 4074 3010
E-Mail: corporate@karlstorz.in

Branch Office :
B- 102, Ground Floor
Naraina Industrial Area, Phase-1
New Delhi 1110 028 / India

More than 75 Years Shaping the Future of Endoscopy with you

STORZ KARL STORZ — ENDOSKOPE

KARL STORZ Endoscopy India Private Ltd. • 29, Barakhamba Road • New Delhi-110 001

To,
The Director
All India Institute of Medical Sciences
Ansari Nagar
New Delhi-110 029.

Date: 05-03-2026

Undertaking for Non – Availability on GeM Portal

Dear Sir,

We, Karl Storz Endoscopy India Pvt. Ltd. 100% wholly owned subsidiary of KARL STORZ SE & CO KG GERMANY do hereby declare that the following items manufactured by us, are not available on GeM Portal:

S. No.	CAT No.	Description
1	TP101	TELE PACK + endoscopic video unit with 2 camera inputs (X Line and C-Line) for use with flexible video endoscopes and one chip camera heads (up to FULL HD), incl. LED light source, digital Image Processing Module with USB and network storage options as well as 18.5" Full HD touchscreen monitor, power supply 100...240 VAC, 50/60 Hz including: 400 F Mains Cord, length 300 cm
2	TH110	IMAGE1 S™ HX One-Chip FULL HD Camera Head, 50/60 Hz, fixed focus, progressive scan, soak able, gas and plasma-sterilizable, focal length f = 16 mm, 2 freely programmable camera head buttons, for use with IMAGE1 XLINK TC301, TELE PACK+ and TP101
3	495NAC	Fiber Optic Light Cable, with straight connector, extremely heat- resistant, with safety lock, increased light transmission, diameter 3.5 mm length 230 cm, can be used for ICG applications
4	26331101-1	HAMOU® ENDOMAT® SCB, Set, power supply 100-240 VAC, 50/60 Hz consisting of: 26331120-1 HAMOU® ENDOMAT® SCB 20090170 SCB Connecting Cable, 10cm 031523-03 Cassette Tubing Set PC, for single use 031524-03 Cassette Tubing Set FC, for single use
5	UP008	Tubing Set, Irrigation, PC, reusable, sterilizable, for use with ENDOM AT® Select SCB UP 210 and HAMOU® ENDOMAT® SCB 26331120-1
6	26120BHA	HAMOU® Examination and Contact Hysteroscope III, with HOPKINS® forward - oblique telescope 30°, magnification 1x, 30x, diameter 2.9 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated, Colour code: red
7	26153BI	BETTOCCHI Operating Sheath, size 4.3mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LUER Lock adaptor, for use with CF operating sheath 26153 BO
8	26153BO	BETTOCCHI Continuous-Flow Operating Sheath, size 5.mm, with 1 stopcock and 1 LUE R-Lock adaptor, for use with operating s heath 26153 BI
9	26160EHW	Scissors, blunt, single jaws, semirigid, 5 Fr., length 40 cm
10	26160UHW	Biopsy and Grasping Forceps, double action jaws, semirigid, 5 Fr., length 40 cm
11	26158BE	Bipolar Vaporization Electrode, semirigid, 5 Fr., needle electrode angled 90°, length 42 cm
12	26176LV	Bipolar High Frequency Cord, length 300 cm, pin distance on the unit side 28.58 mm, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valley lab coagulators, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116, 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valley lab coagulators, for use with high frequency surgical units with bipolar sockets with 28.58 mm pin distance
13	UG803	"Subrack for COR Mobile Stand, low, rides on 4 antistatic dual wheels, with locking brakes, low beam module incl. cable manager and handle, dimensions in mm (w x h x d): 670 x 1 019 x 677,

Corporate & R
KARL STORZ
29, Barakhamba Road
New Delhi-110 001 / India
Tel: +91 11 4974 3010
E-Mail: corporate@karlstorz.in
Narains Industrial Area, Phase-1
New Delhi-110 028 / India
Fax: +91 11 4974 3010
www.karlstorz.com

KARL STORZ Endoscopy India Private Ltd. • 28, Barakhamba Road • New Delhi 110 001

		consisting of: UG800 Base Module for COR Mobile Stand UG801 Beam Module for COR Mobile Stand, small"
14	UG854	"Stainless Steel Tube for COR Mobile Stand, for mounting matching accessories, diameter 25 mm, length 400 mm, for use with Top Cover Monitor Holder COR Mobile Stand UG8 11"
15	UG811	"Top Cover, Monitor Holder, COR Mobile Stand, dimensions in mm (w x h x d): 158.5 x 13 x 110, for use with Beam Modules UG801 and UG802"
16	UG857	"Monitor Module for COR Mobile Stand, VESA 75/100 monitor mount, load capacity for monitor module max. 18 kg, for use with round tube 25 mm"
17	UG860	"Drawer for COR Mobile Stand, narrow, incl. installation accessories, lockable, max. load capacity on drawer 24 kg and within drawer 5 kg, dimensions in mm (w x h x d): 315 x 141.5 x 443.5, for use with low Subrack for COR Mobile Stand, UG803 or high Subrack for COR Mobile Stand UG804"
18	26161VB	Examination sheath, 3.8 mm, with 1 LUER Lock adaptor, for use with CF-Examination sheath 26161 VC
19	26161VC	Cont.-Flow Examination sheath, 4.5 mm, with 1 LUER-Lock adaptor, for use with examination sheath 26161 VB and 26162VB
20	26331142	Silicone Tubing Set for suction, sterilizable, for use with Hamou Endomat 26331120-1
21	UP014	Membrane
22	20040241US	USB silicone keyboard, with US-English character set, USB plug, with Touchpad to be used with TC200, TC201, WD310, WD300, WD350, TC100, TP100, TP200, TP101
23	20300050	Suction Bottle, 5 l, sterilizable
24	20300034	Bottle Cap, for suction bottles 1. 5 l and 5 l, sterilizable
25	20300032	Bottle Stand. for suction bottle 5l

Thanking you,

For KARL STORZ Endoscopy India Pvt. Ltd.

Authorized Signatory

Corporate & Registered Office:
KARL STORZ Endoscopy India Private Ltd
11th Floor, Dr. Gopal Das Bhawan
28, Barakhamba Road
New Delhi-110 001 / India

Phone: +91 1140 7400 00
Toll free: 1800 1234 666
Fax: +91 11 4371 3010
E-Mail: corporate@karlstorz.in

Branch Office:
B-100, Ground Floor
Naraina Industrial Area, Phase-1
New Delhi-110 028 / India
Fax: +91 11 2590 4666

CIN: U33111DL1998PTC095504
www.karlstorz.com

COMMITTED TO ADVANCING GOOD HEALTH
MEDEX
INDIA (P) LTD.
S-60, Ground Floor and Part Basement,
Okhla Industrial Area Phase II
New Delhi -110 020 (INDIA)
Ph.: +91-11-41318370 / 41318372
E-mail : medexindia@gmail.com

05th March, 2026

To,
The H.O.D
Dept. Of Obst. & Gynae
All India Institute of Medical Sciences
Ansari Nagar
New Delhi – 110 029

Ref: Our Quotation No:

RATE REASONABILITY CERTIFICATE

This is to certify that the rate given in our offer bearing No. MI/AIIMS-GYNAE/2025-26/2309 Dated: 05th March, 2026 is our most competitive rates and are lower than as quoted to any other Govt. Institutions/hospitals.

Yours sincerely
For MEDEX INDIA (P) LTD.

DIRECTOR

COMMITTED TO ADVANCING GOOD HEALTH
MEDEX
INDIA (P) LTD.
S-63, Ground Floor and Part Basement
Okhla Industrial Area Phase II,
New Delhi -110 020 (INDIA)
Ph.: +91-11-41318170 / 41318172
E-mail : medexindia@gmail.com

05th March, 2026

To,
The H.O.D
Dept. Of Obst. & Gynae
All India Institute of Medical Sciences
Ansari Nagar
New Delhi – 110 029

Ref: Our Quotation No: MI/AIIMS-GYNAE/2025-26/2309 Dated: 05th March, 2026.

Sub: Fall Clause.

"We, M/s Medex India (P) Ltd., S-63, Ground Floor, Okhla Industrial Area Phase II, New Delhi – 110 020, hereby certify that that the rates quoted by us are lower than the price quoted in other Institutes or organization as per same configuration and terms. We confirm that in case we supply or quotes a lower rate to other Government, public sectors or private organizations, we would reimburse the excess".

For Medex India Private Limited

Director

Signed:
In the Capacity of: Managing Director
Name: M/s MEDEX INDIA (P) LTD.

Duly authorized to sign the bid for and on behalf of
MEDEX INDIA (P) LTD.

Place: New Delhi

COMMITTED TO ADVANCING GOOD HEALTH
MEDEX
INDIA (P) LTD.
S-63, Ground Floor and Part Basement,
Okhla Industrial Area Phase II,
New Delhi -110 020 (INDIA)
Ph. +91-11-41316370 / 41316372
E-mail : medexindia@gmail.com

05th March, 2026

To,
The H.O.D
Dept. Of Obst. & Gynae
All India Institute of Medical Sciences
Ansari Nagar
New Delhi – 110 029

Ref: Our Quotation No: MI/AIIMS-GYNAE/2025-26/2309 Dated: 05th March, 2026

Sub: Undertaking for Criminal Liability / Non-Blacklisting.

Dear Sir,

We, M/s Medex India (P) Ltd., do hereby declare that no lawsuit, litigation or CBI/FEMA case is pending against the company.

Also, the company is not blacklisted by the Union or State Government.

Yours faithfully
for **MEDEX INDIA (P) LTD**

DIRECTOR

Specifications of Mobile Endoscopy Unit (Ambulatory Hysteroscopy)

1	TP101	TELE PACK + endoscopic video unit with 2 camera inputs (X Line and C-Line) for use with flexible video endoscopes and onechip camera heads (up to FULL HD), incl. LED light source, digital Image Processing Module with USB and network storage options as well as 18.5" Full HD touchscreen monitor, power supply 100...240 VAC, 50/60 Hz including: 400 F Mains Cord, length 300 cm	1	Nos.
2	TH110	IMAGE1 S™ HX One-Chip FULL HD Camera Head, 50/60 Hz, fixed focus, progressive scan, soakable, gasand plasma-sterilizable, focal length f = 16 mm, 2 freely programmable camera head buttons, for use with IMAGE1 XLINK TC301, TELE PACK+ and TP101	1	Nos.
3	495NAC	Fiber Optic Light Cable, with straight connector, extremely heat-resistant, with safety lock, increased light transmission, diameter 3.5 mm length 230 cm, can be used for ICG applications	2	Nos.
4	26331101-1	HAMOU® ENDOMAT® SCB, Set, power supply 100-240 VAC, 50/60 Hz consisting of: 26331120-1 HAMOU® ENDOMAT® SCB 20090170 SCB Connecting Cable, 10cm 031523-03 Cassette Tubing Set PC, for single use 031524-03 Cassette Tubing Set PC, for single use	1	Nos.
5	UP008	Tubing Set, Irrigation, PC, reusable, sterilizable, for use with ENDOM AT® Select SCB UP 210 and HAMOU® ENDOMAT® SCB 26331120-1	2	Nos.
6	26120BHA	HAMOU® Examination and Contact Hysteroscope III, with HOPKINS® forward - oblique telescope 30°, magnification 1x, 30x, diameter 2.9 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated, colour code: red	2	Nos.
7	26153BI	BETTOCCHI Operating Sheath, size 4.3mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LU ERLock adaptor, for use with CF operating sheath 26153 BO	2	Nos.
8	26153BO	BETTOCCHI Continuous-Flow Operating Shea th, size 5.mm, with 1 stopcock and 1 LUE R-Lock adaptor, for use with operating s heath 26153 BI	2	Nos.
9	26160EHW	Scissors, blunt, single jaws, semirigid, 5 Fr., length 40 cm	2	Nos.
10	26160UHW	Biopsy and Grasping Forceps, double action jaws, semirigid, 5 Fr., len gth 40 cm	2	Nos.
11	26158BE	Bipolar Vaporization Electrode, semirigid, 5 Fr., needle electrode angled 90°, length 42 cm	2	Nos.
12	26176LV	Bipolar High Frequency Cord, length 300 cm, pin distance on the unit side 28.58 mm, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116, 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for use with high frequency surgical units with bipolar sockets with 28.58 mm pin distance	2	Nos.
13	UG803	"Subrack for COR Mobile Stand, low, rides on 4 antistatic dual wheels, with locking brakes, low beam module incl. cable manager and handle, dimensions in mm (w x h x d): 670 x 1 019 x 677, consisting of: UG800 Base Module for COR Mobile Stand UG801 Beam Module for COR Mobile Stand, small"	1	Nos.

14	UG854	"Stainless Steel Tube for COR Mobile Stand, for mounting matching accessories, diameter 25 mm, length 400 mm, for use with Top Cover Monitor Holder COR Mobile Stand UG8 11"	1	Nos.
15	UG811	"Top Cover, Monitor Holder, COR Mobile Stand, dimensions in mm (w x h x d): 158.5 x 13 x 110, for use with Beam Modules UG801 and UG802"	1	Nos.
16	UG857	"Monitor Module for COR Mobile Stand, VESA 75/100 monitor mount, load capacity for monitor module max. 18 kg, for use with round tube 25 mm"	1	Nos.
17	UG860	"Drawer for COR Mobile Stand, narrow, incl. installation accessories, lockable, max. load capacity on drawer 24 kg and within drawer 5 kg, dimensions in mm (w x h x d): 315 x 141.5 x 443.5, for use with low Subrack for COR Mobile Stand, UG803 or high Subrack for COR Mobile Stand UG804"	1	Nos.
18	26161VB	Examination sheath, 3.8 mm, with 1 LUE Rlock adaptor, for use with CF-Examinat ion sheath 26161 VC	2	Nos.
19	26161VC	Cont.-Flow Examination sheath, 4.5 mm, with 1 LUER-Lock adaptor, for use with examination sheath 26161 VB and 26162VB	2	Nos.
20	26331142	Silicone Tubing Set for suction, sterilizable, for use with Hamou Endomat 26331120-1	1	No.
21	UP014	Membrane	2	No.
22	20040241US	USB silicone keyboard, with US-English character set, USBplug, with Touchpad to be used with TC200, TC201, WD310, WD300, WD350, TC100, TP100, TP200, TP101	1	No.
23	20300050	Suction Bottle, 5 l, sterilizable	1	No.
24	20300034	Bottle Cap, for suction bottles 1. 5 l and 5 l, sterilizable	1	No.
25	20300032	Bottle Stand, for suction bottle 5l	1	No.

Terms & Conditions

Warranty 2 years and CAMC 8 years

"CERTIFICATE FOR REASONABLENESS OF PRICE"

This is to certify that the goods/equipment i.e. "Mobile Endoscopy Unit (Ambulatory Hysteroscopy)" (Item name) to be purchased are of the requisite quality, quantity and specification and has to purchased after following due purchase procedure of Institute. The purchase price against above mentioned tender/PAC/GeM is reasonable to the best of our knowledge & belief and recommended for purchase of Mobile Endoscopy Unit (Ambulatory Hysteroscopy)for the department of Obstetrics & Gynaecology.

Report ID: GEM/GARPTS/08042026/9LUPOK9OPI0Y
Report Name: Mobile Endoscopy Unit (Ambulatory Hysteroscopy
Generated By: Mohit , Department of Health and Family Welfare , Ministry of Health and Family Welfare

Generated On: 08/04/2026
Valid till: 08/05/2026

GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

Order Count and Order Value displayed is on a cumulative basis since GeM inception.

1. Search String: TELE PACK + endoscopic video unit with 2 camera inputs (X Line and C-Line) for use with flexible video endoscopes and onechip camera heads (up to FULL HD), incl. LED light source, digital Image Processing Module with USB and network storage options as well as 18.5" Full HD touchscreen monitor, power supply 100...240 VAC, 50/60 Hz including: 400 F Mains Cord, length 300 cm

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 1475271.0

2. Search String: IMAGE1 S™ HX One-Chip FULL HD Camera Head, 50/60 Hz, fixed focus, progressive scan, soakable, gasand plasma-sterilizable, focal length f = 16 mm, 2 freely programmable camera head buttons, for use with IMAGE1 XLINK TC301, TELE PACK+ and TP101

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 822202.0

3. Search String: Fiber Optic Light Cable, with straight connector, extremely heat- resistant, with safety lock, increased light transmission, diameter 3.5 mm length 230 cm, can be used for ICG applications

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 66000.0

4. Search String: HAMOU® ENDOMAT® SCB, Set, power supply 100-240 VAC, 50/60 Hz consisting of:

26331120-1 HAMOU® ENDOMAT® SCR 20090170 SCB Connecting Cable, 10cm 031523-03 Cassette Tubing Set PC, for single use 031524-03 Cassette Tubing Set FC, for single use

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 1253444.0

5. Search String: Tubing Set, Irrigation, PC, reusable, sterilizable. for use with ENDOM AT® Select SCB UP 210 and HAMOU® ENDOMAT® SCR 26331120-1

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 77081.0

6. Search String: HAMOU® Examination and Contact Hysteroscope III, with HOPKINS® forward - oblique telescope 30°, magnification 1x, 30x, diameter 2.9 mm, length 30 cm, autoclavable, fiber optic light transmission incorporated, colour code: red

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 372170.0

7. Search String: BETTOCCHI Operating Sheath, size 4.3mm, with channel for semirigid 5 Fr. operating instruments, with 1 stopcock and 1 LU ERLock adaptor, for use with CF operating sheath 26153 BO

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 57284.0

8. Search String: BETTOCCHI Continuous-Flow Operating Shea th, size 5.mm, with 1 stopcock and 1 LUE R-Lock adaptor, for use with operating e heath 26153 BI

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 46146.0

9. Search String: Scissors, blunt, single jaws, semirigid, 5 Fr., length 40 cm

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 80455.0

10. Search String: Biopsy and Grasping Forceps, double action jaws, semirigid, 5 Fr., len gth 40 cm

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 93063.0

11. Search String: Bipolar Vaporization Electrode, semirigid, 5 Fr., needle electrode angled 90°, length 42 cm

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 37298.0

12. Search String: Bipolar High Frequency Cord, length 300 cm, pin distance on the unit side 28.58 mm, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for KARL STORZ AUTOCON® II 400 SCB system (112, 114, 116, 122, 125), AUTOCON® II 200, AUTOCON® II 80 and Valleylab coagulators, for use with high frequency surgical units with bipolar sockets with 28.58 mm pin distance

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 14851.0

13. Search String: "Subrack for COR Mobile Stand, low, rides on 4 antistatic dual wheels, with locking brakes, low beam module incl. cable manager and handle, dimensions in mm (w x h x d): 670 x 1 019 x 677, consisting of: UG800 Base Module for COR Mobile Stand UG801 Beam Module for COR Mobile Stand, small"

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 158751.0

14. Search String: Stainless Steel Tube for COR Mobile Stand, for mounting matching accessories, diameter 25 mm, length 400 mm, for use with Top Cover Monitor Holder COR Mobile Stand UG8 11"

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 19406.0

15. Search String: "Top Cover, Monitor Holder, COR Mobile Stand, dimensions in mm (w x h x d): 158.5 x 13 x 110, for use with Beam Modules UG801 and UG802"

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 9104.0

16. Search String: "Monitor Module for COR Mobile Stand, VESA 75/100 monitor mount, load capacity for monitor module max. 18 kg, for use with round tube 25 mm"

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 23284.0

17. Search String: "Drawer for COR Mobile Stand, narrow, incl. installation accessories, lockable, max. load capacity on drawer 24 kg and within drawer 5 kg, dimensions in mm (w x h x d): 315 x 141.5 x 443.5, for use with low Subrack for COR Mobile Stand, UG803 or high Subrack for COR Mobile Stand UG804"

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 88054.0

18. Search String: Examination sheath, 3.8 mm, with 1 LUE Rlock adaptor, for use with CF-Examinat ion sheath 26161 VC

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 60467.0

19. Search String: Cont.-Flow Examination sheath, 4.5 mm, with 1 LUER-Lock adaptor, for use with examination sheath 26161 VB and 26162VB

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 35645.0

20. Search String: Silicone Tubing Set for suction, sterilizable, for use with Hamou Endomat 26331120-1

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 8572.0

		Order Count			Order Value (in Lakhs)		
Category Name	Catalog Count	Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593	0	0	0	0	0	0	0

21. Search String: Membrane

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 23368.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
MEMBRANE CLEANING CHEMICAL	14	433	0	2	86	0	2
Ultra Filtration (UF) Membrane	74	3,225	0	15	717	0	12
Low Fouling Composite (LFC) RO Membrane	138	3,249	6	53	984	38	154
Resorbable Collagen Membrane for Orthopedic and Dental Surgeries	0	0	0	0	0	0	0
Extra Corporeal Membrane Oxygenator (ECMO) Machine	0	0	0	0	0	0	0
ECMO Oxygenator (V2)	0	0	0	0	0	0	0
Surgical Adhesion Barrier	0	0	0	0	0	0	0
Syringe Filter	1,119	3,330	11	37	885	8	23
Hydrothermal Autoclave Reactor	429	1,104	6	58	425	1	48

22. Search String: USB silicone keyboard, with US-English character set, USBplug, with Touchpad to be used with TC200, TC201, WD310, WD300, WD350, TC100, TP100, TP200, TP101

Search type: Product

Search Result: Category not available on GeM for the text string searched by the buyer.

This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 26190.0

23. Search String: Suction Bottle, 5 l, sterilizable

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 12638.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Bottle Gourd Seeds (V2)	3	1	1	5	0	4	79
File/Folder (V3)	11,326	1,19,412	396	1,091	14,581	183	303
BPC Flowmeter With Humidifier Bottle	107	442	1	7	201	0	32
Muffle/Box Furnace (V2)	933	1	0	0	0	0	0
Isopropyl Alcohol (2 - Propanol)	625	6,247	45	245	2,679	112	486
GLACIAL ACETIC ACID	182	3,489	12	56	653	8	50
Rubber Hot Water Bottel as per IS 1867	328	1,823	8	14	206	11	139
Bottle for Chemical Laboratory	1,087	3,345	16	127	1,017	92	99
Ethyl Acetate	150	1,282	20	30	245	6	31
Oxygen Flow Meter	1,163	4,064	24	91	2,084	37	274

24. Search String: Bottle Cap, for suction bottles 1. 5 l and 5 l, sterilizable

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification paramaters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted seperately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 42654.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Health Supplements, Nutraceuticals and Food for Special Dietary Use (V2)	0	0	0	0	0	0	0
Toner Cartridges / Ink Cartridges / Consumables for Printers	5,167	2,93,504	8,329	20,750	69,442	19,915	20,312
Static Protective Relays	178	317	7	65	222	14	137



Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Covered Electrodes for Manual Metal Arc Welding of Stainless Steel and Other Similar High Alloy Steel (V2) conforming to IS 5206	52	485	2	8	210	25	12
DIETHYLAMINE	11	52	0	1	3	0	0

25. Search String: Bottle Stand, for suction bottle 5l

Search type. Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values(LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.

Estimated Value Of Procurement: ₹ 11834.0

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Bottle for Chemical Laboratory	1,087	3,345	16	127	1,017	92	99
PET Preform For Disposable Water Bottle	21	354	0	2	33	0	0
Bottle Water Plastic with Cover (DEFENCE)	31	788	5	9	121	170	120
Plastic Bottles Water Bottle With Carry Bag For Cpmf (MHA)	205	1,191	27	19	601	2,033	2,949
Isopropyl Alcohol (2 - Propanol)	625	6,247	45	245	2,679	112	466
Insulated Flask for Domestic use as per IS 17790	0	0	0	0	0	0	0
Toner Cartridges / Ink Cartridges / Consumables for Printers	5,167	2,93,504	8,329	20,750	69,442	19,915	20,312
Plastic Containers and Closures for Homoeopathic Pharmaceutical Preparations conforming to IS 19084	31	109	0	22	64	0	89
Educational and Sports Kits for Children (DEBTC)	3	0	4	5	0	47	23

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Hydraulic Jacks for Automobiles Conforming to IS 4552 (Part 2)	34	273	0	15	72	0	8