



Bid Number: GEM/2022/B/2246648

Dated: 08-06-2022

# **Bid Document**

Bid Details				
Bid End Date/Time	29-06-2022 14:00:00			
Bid Opening Date/Time	29-06-2022 14:30:00			
Bid Offer Validity (From End Date) 65 (Days)				
Ministry/State Name	Ministry Of Health And Family Welfare			
Department Name	Department Of Health And Family Welfare			
Organisation Name	All India Institute Of Medical Sciences (aiims)			
Office Name	Aiims, New Delhi			
Total Quantity	240000			
Item Category	intravenous cannulas as per IS: 10555-5 (Q2)			
MSE Exemption for Years Of Experience and Turnover	Yes			
Startup Exemption for Years Of Experience and Turnover	rce Yes			
Document required from seller	Experience Criteria,OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	Yes			
RA Qualification Rule	H1-Highest Priced Bid Elimination			
Time allowed for Technical Clarifications during technical evaluation	2 Days			
Estimated Bid Value	15000000			
Evaluation Method	Total value wise evaluation			

#### **EMD Detail**

Required	No
----------	----

### ePBG Detail

Required	l No
Nogani da	

# **Splitting**

Bid splitting not applied.

#### **MII Purchase Preference**

MII Purchase Preference	Yes

#### **MSE Purchase Preference**

MSE Purchase Preference	Yes

- 1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria". If the bidder is OEM of the offered products, it would also be exempted from the "OEM Average Turnover" criteria. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
- 3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and Small Enterprises clause in the bid, the same will get precedence over this clause.
- 4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total OUANTITY.
- 5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
- 6. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:
  - i. If number of technically qualified bidders are only 2 or 3.
  - ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
  - iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
  - iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
  - v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

# Intravenous Cannulas As Per IS: 10555-5 ( 240000 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

Brand Type	Registered Brand	
------------	------------------	--

# **Technical Specifications**

# \* As per GeM Category Specification

Specification	Specification Name	Bid Requirement (Allowed Values)		
Performance Parameters	Conforming standards for the I V Canulla	IS / ISO 10555-5		
	Whether IV Canulla is with safety features for preventing needle stick injuries	Yes		
	Needle Point Finish	Long bevel cut, Short bevel cut		
	Needle Hub	Complying with ISO 594-1		
	Needle hub fitting with 6% luer Taper	Yes, No		
	Injection Port	With		
	Wings	With		
	Luer Lock Plug/Cap	Yes		
	Radio opaque line feature	Yes		
Dimensional and	Material of Catheter	Flourinated Ethylene Propylene (FEP), Polyurethane		
Material Parameters	Nominal outside Diameter of catheter tube and color coding as per IS/ISO 10555- 5	Medium Grey - 16G, Deep Green - 18G, Pink - 20G, Deep Blue - 22G, Yellow - 24G		

# Additional Specification Parameters - Intravenous Cannulas As Per IS: 10555-5 ( 240000 pieces )

Additional operation i distinctions initiation and continues in the continues of a continue of a con			
Specification Parameter Name  Bid Requirement (Allowed Values)			
Specification 1	Shielded I.V. Cannula with FEP/Poly urethane catheter. Proactive steel clip on needle tip with passive technique to activate safety cover on the needle to avoid needle stick infection/injury. Should have at least one radio opaque line on the catheter. Should have Integrated closing cone Hydrophobic Liquid Membrane To detect blood back-flow. Catheter sheath should be non toxic, biologically acceptable FEB made with radio opaque shaft and metallic stillete.		

Specification Parameter Name	Bid Requirement (Allowed Values)				
Specification 2	The stillette should have taper cut and sharp for easy insertion. Beyond this cut end, it should not protrude more than 1mm further than the tip of catheter Standard size hub attached to the distal end for intravenous line attachment. Injection port with color-coded cap. Color coding for different sizes. Size: 16,18,20,22G,24 G as per requirement. Transparent blister packing with tyvec paper. Pre-sterilised packed singly with tyvec paper or blister pack.				
Sample	Kindly submit 05 Nos. of Samples of each size to Mr. Ravindray, Store Section, Ground Floor, Hospital Store, AlIMS - New Delhi within 07 days of submission of Bid.				

<sup>\*</sup> Bidders offering must also comply with the additional specification parameters mentioned above.

## **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Delivery Schedule (In number of days from contract start days)		
		Quantit y	Delivery to start after	Delivery to be completed by	
			20000	1	30
			20000	31	60
			20000	61	90
1 Ravindray	110029,AIIMS, Ansari Nagar	20000	91	120	
		20000	121	150	
		20000	151	180	
		20000	181	210	
			20000	211	240
		20000	241	270	
		20000	271	300	
		20000	301	330	
			20000	331	360

# Special terms and conditions-Version:1 effective from 04-05-2020 for category intravenous cannulas as per IS: 10555-5

- 1. Special Terms and Conditions for Medical Devices and Consumables covered under Provisions of Drug and Cosmetic Act
  - 1. For items wherever Drug Licence requirements are applicable all provisions of Drug and Cosmetic Act 1940 as amended up to date and Rules made there under will be applicable in addition to any other terms and conditions specified in the Portal.
  - 2. Drug License: For indigenous products offered in the market, Manufacturer should have valid Drug License as per Drugs and Cosmetic Act 1940 issued by concerned State Drug Control authorities .The Seller if different from the manufacturer shall also be required to be holding Drug License for

sale . In case of imported products Manufacturer shall be registered under Form no 10 with Central Drug Authorities (CDSCO) and the Seller offering imported products should be also holding valid Sales License issued by the local drug authorities. For imported products, certificate from the OEM that product is being used in the Country of Origin should be available with the Seller. It shall be the responsibility of the Seller to ensure that that the Drug License is valid for the product offered and due to any reason the drug control authorities have cancelled or suspended Drug License or convicted the manufacturer or Seller for any offence under the provisions of Drug and Cosmetic Act, Seller should immediately withdraw the product and also intimate the Buyers in case of pending orders for supplies as well as the GeM administration regarding the matter.

- 3. Manufacturing & Marketing Experience: Sellers offering the Products in the Portal either as Manufacturers or as Authorised Seller shall ensure that the Products offered are being Manufactured and Marketed in the country (for Indigenous Products) and Marketed (for Imported Products) continuously at least for the last 2 years
- 4. Certifications: Manufacturers of offered product (Offered by Manufacturers or by Authorized Seller ) should be holding valid Good Manufacturing Practices Certificate (GMP) as per revised Schedule-M of Drug and Cosmetic Act 1940 as amended up to date or WHO-GMP as per norms amended up to date issued by the Licensing Authority or certificate which is at par with WHO-GMP issued by the authorities of exporting countries / COPP certificate .
- 5. Non Conviction Certificate: Sellers either Manufacturers or Authorized Sellers are required to ensure that they are not under conviction in terms of the provisions of Drugs & Cosmetic Act and any other law applicable in relation to the same . In case at any point of time, the Manufacturer or Authorized Seller is convicted under provisions of Drug and Cosmetic Act, it shall be their responsibility to withdraw the product immediately from the market.
- 6. Banning and Blacklisting: Seller either Manufacturer or Authorized Seller shall ensure that there is no banning or black listing applicable against them for the product offered on the portal due to quality failure and /or fraudulent/illegal practices or for any other reasons
- 7. It shall be the responsibility of the Seller either Manufacturer or Authorized Seller to ensure that manufacturer is having own in-house testing lab to carry out all the required tests as per specification and provisions of drug act as amended up to date for the quoted product and shall also forward the copies of the in-house test reports for each batch along with the supplies. For imported products, certificate from OEM regarding availability of all test facilities in house with them should be available with Seller.
- 8. Each lot of supplies shall be dispatched under Self Certification scheme duly supported by in house test reports. Consignees shall be at liberty to draw control Samples and send it to approved Laboratories for testing and in case of any failure, entire responsibility shall rest with Seller in addition to any penalties under the provisions of Drug Act including removal of Goods from the Consignee place. Further administrative actions as per terms and conditions Gem Portal shall also be applicable.
- 9. Packing shall be as per relevant clause of Standard Specifications applicable as indicated in the Catalogue Parameters indicated in the Portal and as per provisions of Drug & Cosmetic Act as amended up to date.
- 10. Marking: Each Primary Packing shall be marked as under:-
  - 1. Nomenclature of the stores
  - 2. Manufacturers Name, Address, Drug License No.
  - 3. Month of manufacturing, Expiry, Batch No and lot No (if applicable)
  - 4. Any other particulars required under Drug and Cosmetic Act 1940 amended up to date if item is governed under drug and cosmetic act
  - 5. Quantity contained therein
  - 6. Manufacturers Name or Trade Mark
  - 7. Government Supply ""Not For Sale
  - 8. Secondary Packing Cartons shall be marked with Manufacturers Name, Batch no and Month of Manufacture and Use Before.
- 11. Expiry Date: All supplies must indicate the Month of Manufacture and Expiry. In addition all supplies shall have a remaining shelf life of at least 5/6th of the stipulated shelf life at the time of delivery.
- 12. Recalls: If any batch is to be recalled because of problems with product quality or adverse reaction Seller will be responsible to notify the Buyer full details about the reason leading to the recall and shall take steps to replace the product in question at its own cost with a fresh batch of acceptable quality or give a refund of the value of the goods

# **Buyer Added Bid Specific Terms and Conditions**

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 50 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 50% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

## **Disclaimer**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization. Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity/restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and/or terms and conditions governing the bid. Any clause incorporated by the Buyer such as demanding Tender Sample, incorporating any clause against the MSME policy and Preference to make in India Policy, mandating any Brand names or Foreign Certification, changing the default time period for Acceptance of material or payment timeline governed by OM of Department of Expenditure shall be null and void and would not be considered part of bid. Further any reference of conditions published on any external site or reference to external documents/clauses shall also be null and void. If any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations. Also, GeM does not permit collection of Tender fee / Auction fee in case of Bids / Forward Auction as the case may be. Any stipulation by the Buyer seeking payment of Tender Fee / Auction fee through ATC clauses would be treated as null and void.

This Bid is also governed by the General Terms and Conditions

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---Thank You---