

**SUPPLY ORDER**  
**ALL INDIA INSTITUTE OF MEDICAL SCIENCES**

Ansari Nagar, New Delhi-110029

S.O. No. 13 /HoD/Med/2024-25      Date  
M/s. Edif Medical Systems  
Plot no.14 NHCC, Omaxe Square, FF-07,  
Jasola, New Delhi-110025.

Date of Delivery

Dear Sir,

With reference No. EMS/AIIMS/MED/24-25/003 dated 31.05.2024, against this office Rate Enquiry No. / Tender No.      Date you are requested to arrange supplies of under mentioned items at the price market against each and deliver the same to Store Officer, All India Institute of Medical Science, Ansari Nagar-110029.

S. No.	Nomenclature	No. of Quantity	Rate per	GST in %	GST Amount	Net Amount Rs.      Ps.
1.	Pump Tube	01 No.	16,330.51	18%	<del>2939.49</del>	19,270.00
2.	Sample Port	01 No.	9,138.14	18%	1644.86	10,783.00
3.	Lactate Electrode	01 No.	29,533.90	18%	5,316.10	34,850.00
4.	Glucose Electrode	01 No.	29,533.90	18%	5,316.10	34,850.00
5.	Cal Cartridge	04 Nos.	48,577.68	12%	23,317.28	2,17,628.00
6.	Flush Bottle	04 Nos.	10,286.61	12%	4,937.57	46,084.00
	<b>GST Total</b>	----	----	----	<b>52,287.67</b>	<b>3,63,465.01</b>
	<b>Round off</b>					(-0.01)
	GST @ 18% S. No. 1 to 4 & 12% S. No. 5 & 6 Price inclusive in Net amount.					
	<b>Grand Total</b>	---	---	---	---	<b>3,63,465.00</b>

Copy to – 1. Store Account Section 2. Central Store Depot 3. Firm copy

(Departmental Store Committee Members)

Prof. Sanjeev Sinha  
Member

Prof. Naval K. Vikram  
Chairman

Dr. Manish Soneja  
Member

Dr. Piyush Ranjan  
Member Secretary

Dr. Neeraj Nischal  
Member (J.S. 1<sup>st</sup>)

On leave  
Dr. Arvind Kumar  
Member (J.S. 2<sup>nd</sup>)

On leave  
Dr. Ranveer Singh Jadon  
Member

On leave  
Dr. Animesh Ray  
Member

On leave  
Dr. Upendra Baitha  
Member

On leave  
Dr. Prayas Sethi  
Member

On leave  
Dr. Ved P. Meena  
Member

On leave  
Dr. Bindu Prakash  
Member

Dr. Amandeep Singh  
Member

On leave  
Dr. Siddharth Jain  
Member

Dr. Naveet Wig  
Prof & Head

Dr. NAVAL K. VIKRAM, MD, MNAMS  
Professor & Acting HoD  
Department of Medicine  
All India Institute of Medical Sciences  
New Delhi-110029




ALL INDIA INSTITUTE OF MEDICAL SCIENCES  
ANSARI NAGAR, NEW DELHI-110 029



PROPRIETARY/SPECIFIC BRAND GOODS CERTIFICATE

1. Item/Type/Model No. required along with specification. : Consumables for ABG (GASTATE)
2. Is the item a spare part attachment or accessory for an existing equipment. : Yes
3. Name of the manufacturers/Supplier of the item proposed by the indenter. : M/s. Technomedica
4. Are they sole manufacturers/sold distributors of the item. : M/s. Edif Medical System
5. Is there any other item with similar/equivalent specification available in the market to meet the job requirement envisaged. : This is a Proprietary item  
PAC enclosed.
6. What were the efforts made to locate alternative source of supply of use other substitutes. : This is a Proprietary item
7. Why open/limited tender can't be resorted to, for locating alternative source. : This is a Proprietary item
8. Are the proprietary items certifying that the rates are reasonable or not. : Yes
9. Any other justification for procuring item from single source. : It is exclusively produced by us in Japan, for use Blood Gas Analyser

Signature of Indenter  
(Demanding Officer)

(Counter Signed)  
(Head of the Department)

  
  
  
Dr. NAVA, K. VIKRAM, MD, MNAMS  
Professor + A ctyly no P  
Department of Medicine  
All India Institute of Medical Sciences  
New Delhi-110029

  
  
urani

**TO WHOMSOEVER IT MAY CONCERN**


**Subject: Proprietary Reagents & Consumables of Blood Gas Analyser Manufactured by us**

We hereby confirm that the Reagents and consumables of Blood Gas Analyser GASTAT Series produced by us are Proprietary items of our company. It is exclusively produced by us in JAPAN for the use in our Blood Gas Analyser.

All the Reagents and Consumables of our Blood Gas Analysers shall be available for AIIMS New Delhi through our Exclusive Distributor M/s Edif Medical Systems New Delhi.

Yours faithfully

Dated: 01/03/2024



Takumi ITO

Deputy General Manager/ Overseas Business Division

For and on behalf of Techno Medica Co. Ltd, Japan

---

**株式会社テクノメデカ**

[www.TechnoMedica.co.jp](http://www.TechnoMedica.co.jp)

[overseas@TechnoMedica.co.jp](mailto:overseas@TechnoMedica.co.jp)

**MANUFACTURER'S AUTHORIZATION LETTER**

Dear Sir / Madam,

We, Techno Medica Co., Ltd. who are proven and reputable manufacturers of Blood Gas Analyzer **GASTAT Series** having factories at 5-5-1, Nakamachidai, Tsuzuki-ku, Yokohama, Kanagawa, 224-0041, Japan hereby confirm that Messrs **EDIF MEDICAL SYSTEMS** having its principal office at Plot No 14, NHCC, Omaxe Square, FF-07, Jasola, OKHLA, New Delhi – 110 025 is our Exclusive Distributor for our Entire Blood Gas Analyser range in India.

We further confirm that no supplier or firm or individual other than Messrs. **EDIF MEDICAL SYSTEMS** having its principal office at Plot No 14, NHCC, Omaxe Square, FF-07, Jasola, OKHLA, New Delhi – 110 025, New Delhi – 110 025 is authorized to offer our products viz Instruments, Reagents, Consumables, Spares or services produced by us.


This Authorization shall remain valid till entire period of Contract / Order issued to Edif Medical Systems / us.

Yours faithfully,  
Dated: 01/03/2024

*Takumi ITO*

Takumi ITO

Deputy General Manager/ Overseas Business Division  
for and on behalf of Techno Medica Co., Ltd, Japan





**Report ID:** GEM/GARPTS/05062024/XVH3TJ36QAZF

**Report Name:** Pump tube

**Generated By:** Satish Chander Goniyaal , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 05/06/2024

**Valid till:** 05/07/2024

### **GeM Availability Report and Past Transaction Summary**

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: Pump tube**

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Polyurethane Tube	144	444	0	19	49	0	10
Blood Sample Collection Tubes	5,331	6,856	54	142	3,002	200	182
Fusion Tube	3	85	0	2	6	0	0
Teletector	25	2	0	12	5	0	199
chest tube	308	610	6	18	187	4	4
Public Place Seating Chair	33,146	21,037	149	1,447	18,121	759	4,316
Fitness Tube	101	260	2	3	11	0	62
Copper Tube 104.9mm-OFB	7	273	0	0	23	0	0



**Dr. Naveet Wig**  
Professor & Head  
Department of Medicine  
A.I.I.M.S., New Delhi-29



**Report ID:** GEM/GARPTS/05062024/DXIE8JLJ4KAS

**Report Name:** Sample port

**Generated By:** Satish Chander Goniyaal , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 05/06/2024

**Valid till:** 05/07/2024

### **GeM Availability Report and Past Transaction Summary**

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: Sample port**

Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Chemo Port	26	48	0	7	122	0	38
Blood Sample Collection Tubes	5,331	6,856	54	142	3,002	200	182
Sample Cup	48	151	2	13	48	0	18
books	92,031	1,28,671	120	1,507	10,401	52	1,119
Chemo Port (V2)	0	0	0	0	0	0	0
Intravenous Cannulas as per IS 10555 - 5	4,472	16,763	191	468	11,738	935	466
Lab Multi Sample Mixer	110	98	3	15	40	22	41
Layer 2 Access Switch (V2)	3,273	6,140	236	636	3,114	6,601	3,015

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Lab Multi Sample Thermal Mixer	145	82	9	53	89	39	157
Port Fast Ethernet PoE Switch with 2 Gigabit Uplink	63	2,106	3	49	291	1	17

**Dr. Naveet Wig**  
 Professor & Head  
 Department of Medicine  
 A.I.I.M.S., New Delhi-29



**Report ID:** GEM/GARPTS/05062024/ZWT409CB564U

**Report Name:** Lactate Electrode

**Generated By:** Satish Chander Goniya, Department of Health and Family Welfare, Ministry of Health and Family Welfare

**Generated On:** 05/06/2024

**Valid till:** 05/07/2024

### GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: Lactate Electrode**


Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Potassium Lactate	0	0	0	0	0	0	0
RINGER LACTATE	1	489	0	0	1,817	0	0
Biochemistry Reagent Kits	1,209	10,534	26	200	1,739	1	95
pH Electrode	14	74	0	2	6	0	0
Carbon Electrode paste	20	8	4	2	0	3,122	1,263
Portable electrode oven	79	92	0	17	43	0	10
Ion selective electrode	102	55	3	28	41	3	26
pH Meter (FSSAI)	4	1	0	0	1	0	0

  
**Dr. Naveet Wig**  
 Professor & Head  
 Department of Medicine  
 AIIMS, New Delhi-20





**Report ID:** GEM/GARPTS/05062024/ML4T0L3Q4AE2

**Report Name:** Cal cartridge

**Generated By:** Satish Chander Gonyal , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 05/06/2024

**Valid till:** 05/07/2024

### GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: Cal cartridge**


Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Cartridge Heater	30	679	1	15	256	13	70
OEM / Compatible Cartridge / Consumable	47,485	3,34,711	7,267	38,571	67,165	13,803	28,632
Filter Cartridge	136	3,284	1	20	465	0	10
Argon as per IS 5760	162	446	7	74	80	168	284
Ion Exchange Cartridge	4	112	0	0	15	0	0
Wound Filter Cartridge	37	190	0	1	13	0	0
books	92,031	1,28,671	120	1,507	10,401	52	1,119
Polypropylene Cartridge Filter	84	691	0	5	56	0	1

  
**Dr. Naveet Wig**  
 Professor & Head  
 Department of Medicine  
 A.I.I.M.S., New Delhi-29



**Report ID:** GEM/GARPTS/05062024/CKE2BN8IMK9L

**Report Name:** Flush Bottle

**Generated By:** Satish Chander Gonyal , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 05/06/2024

**Valid till:** 05/07/2024

**GeM Availability Report and Past Transaction Summary**

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

**1. Search String: Flush Bottle**


Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Bottle Stand	358	739	0	9	75	0	2
Flushing Cistern	1,459	9,907	57	317	2,916	56	238
Capsule Bottle	22	104	0	0	28	0	0
books	92,031	1,28,671	120	1,507	10,401	52	1,119
Flush Valves and Fitting for Water Closets and Urinals	0	0	0	0	0	0	0
Bottle for Chemical Laboratory	802	1,590	7	72	425	3	33
Polyethylene Terephthalate (PET) Bottle	0	0	0	0	0	0	0

 **Dr. Nayeet Wig**  
Professor & Head  
Department of Medicine  
A.I.I.M.S., New Delhi-29



**Report ID:** GEM/GARPTS/14062024/3HW10S0I88LJ

**Report Name:** glucose electrode

**Generated By:** Satish Chander Gonyal , Department of Health and Family Welfare , Ministry of Health and Family Welfare

**Generated On:** 14/06/2024

**Valid till:** 14/07/2024

### GeM Availability Report and Past Transaction Summary

GeM Availability Report and past transaction summary report is generated based on the specifications searched by the Buyer. The specification may be modified appropriately for searching relevant categories on GeM. Buyer may navigate to GeM category page by clicking on the category link to view category specifications and products/services available in the category.

*Order Count and Order Value displayed is on a cumulative basis since GeM inception.*

#### **1. Search String: glucose electrode**



Search type: Product

1. There are categories available on GeM matching your requirements (as listed here). You can create a bid on GeM with a product closest matching your required specifications and add additional parameters in specifications through Corrigendum using RMS functionality.
2. If you feel that category TP needs updating you can submit category updating request also through RMS.
3. If you do not want to use any of the above option and want to proceed for procurement outside GeM, please suggest the specifications of the required product for creation of new category on GeM for future procurement.

Search Result: Category available/suggested on GeM but marked as "not matching requirements" by the buyer with undertaking as under:

*It is certified that I have thoroughly checked all probable categories suggested by GeM and I am satisfied that the product required is not covered / does not fall in any of the suggested categories and can not be procured under any of these categories even after inclusion of List of Values( LOV) wherever possible in category specifications of suggested categories. It is also certified that the technical specification requirement are such that these can not be covered even by adding specification parameters using ATC in any of the GeM suggested categories. This is a one-time requirement hence new category creation is not proposed / or requirement is recurring but request for new category creation will be submitted separately post generation of GeMARPTS.*

Category Name	Catalog Count	Order Count			Order Value (in Lakhs)		
		Direct Purchase	Reverse Auction	Bid	Direct Purchase	Reverse Auction	Bid
Glucose	2	7	0	0	0	0	0
Glucose agar	4	52	0	0	3	0	0
pH Electrode	15	78	0	2	7	0	0
Blood Glucose Test Strips (Glucostrips) with Glucometer	147	2,498	23	183	3,043	382	2,316
Glucose Salt Teepol Broth	1	9	0	0	1	0	0
Blood Glucose Meter - Glucometer (V2)	18	312	0	6	53	0	9
Carbon Electrode paste	20	8	4	2	0	3,122	1,263

  
 **Dr. Naveet Wig**  
 Professor & Head  
 Department of Medicine  
 AIIMS, New Delhi-29