

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	27-01-2024 14:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	27-01-2024 14:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Health And Family Welfare
Department Name/विभाग का नाम	Department Of Health And Family Welfare
Organisation Name/संगठन का नाम	All India Institute Of Medical Sciences (aiims)
Office Name/कार्यालय का नाम	Aiims, New Delhi
Total Quantity/कुल मात्रा	450
Item Category/मद केटेगरी	Public Place Seating Chair (Q3)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	Yes
RA Qualification Rule	H1-Highest Priced Bid Elimination
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Public Place Seating Chair
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण**Evaluation Method/मूल्यांकन पद्धति**

Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक

State Bank of India

EMD Amount/ईएमडी राशि

55000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक

State Bank of India

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)

3.00

Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).

62

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Head NCI

National Cancer Institute, Aiiims, Jhajjar, Department of Health and Family Welfare, All India Institute of Medical Sciences (AIIMS), Ministry of Health and Family Welfare
(Aiiims Nci Jhahhar)**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

3. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

4. Reverse Auction would be conducted amongst all the technically qualified bidders except the Highest quoting bidder. The technically qualified Highest Quoting bidder will not be allowed to participate in RA. However, H-1 will also be allowed to participate in RA in following cases:

- i. If number of technically qualified bidders are only 2 or 3.
- ii. If Buyer has chosen to split the bid amongst N sellers, and H1 bid is coming within N.
- iii. In case Primary product of only one OEM is left in contention for participation in RA on elimination of H-1.
- iv. If L-1 is non-MSE and H-1 is eligible MSE and H-1 price is coming within price band of 15% of Non-MSE L-1
- v. If L-1 is non-MII and H-1 is eligible MII and H-1 price is coming within price band of 20% of Non-MII L-1

Public Place Seating Chair (350 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Style	with arm and backrest

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Seating Capacity (Nos)	3
MATERIAL	Material of Main Frame	mild steel, M S ERW tube, SS 202, SS 304, 48 mm Dia SS 202, Aluminium
	Material of Seat and Backrest	Mild Steel, PU Foam reinforced with 2 mm M S sheet inserts, SS 202, SS 304, MS RECTANGULAR SECTION PIPE, Perforated MS sheet covered with 40 mm cushion cover., Seat 16 gauge SS 202 grade steel sheet and 48 mm back pipe
	Material of Arms	armrest are made up of powder coated high pressure aluminium dye cast, cold rolled steel, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, SS 202(48 mm capsule pipe), N.A
	Material of Legs	cold rolled steel, POWDER COATED HIGH PRESSURE ALUMINIUM DYE CAST LEGS, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, MS round pipe - 1.6 mm thick, SS 202 (diameter 48 mm)
	Material of Side Bar Bracket	made up of chrome plated solid steel, solid steel v-shaped powder coated, N.A
DIMENSION	Overall Length in mm (±10 mm)	800, 850, 900, 950, 1000, 1050, 1100, 1150, 1170, 1200, 1225, 1300, 1350, 1400, 1450, 1500, 1550, 1600, 1655, 1700, 1760, 1800, 1840, 1900, 1950, 2000, 2050, 2100, 2150, 2200, 1585, 1800 mm (with each seat width of 475 mm divided by 48 mm SS 202 Capsule pipe handle)
	Overall Depth in mm (±5 mm)	350, 400, 450, 500, 550, 610, 640, 665, 700, 750, 800, 430, 510
	Overall Height in mm (±5 mm)	400, 450, 500, 550, 600, 650, 700, 760, 800, 835, 870, 900, 950, 1000, 430, 815
CERTIFICATION	Conforming to International Standard for Public Seating (*BIFMA X 5 dot 4 or equivalent)	YES, NO
COLOUR & FINISH	All steel component to be epoxy powder coated	50 micron thick, 60 micron thick, NA
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Additional Specification Parameters - Public Place Seating Chair (350 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Bid Evaluation	Evaluation will be done on the basis of specification mentioned in ATC, all the bidders should quote the product as per specification mentioned in ATC

Specification Parameter Name	Bid Requirement (Allowed Values)
Sample evaluation/demonstration	Bidder will be ask for demonstration of the item, at NCI AIIMS JHAJJAR, failing in which will lead to disqualification.

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanchit Kaushik	124105,National Cancer Institute, AIIMS, New Delhi, Vill-Badsa, Tehsil : Badli, District : Jhajjar	350	90

Public Place Seating Chair (100 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Style	with arm and backrest, with arm and without backrest, without arm and with backrest, without arm and backrest, With arm and backrest supported by Base Circle (size 60 mm and 6 mm thick)
	Seating Capacity (Nos)	2
MATERIAL	Material of Main Frame	mild steel, M S ERW tube, SS 202, SS 304, 48 mm Dia SS 202, Aluminium
	Material of Seat and Backrest	Mild Steel, PU Foam reinforced with 2 mm M S sheet inserts, SS 202, SS 304, MS RECTANGULAR SECTION PIPE, Perforated MS sheet covered with 40 mm cushion cover., Seat 16 gauge SS 202 grade steel sheet and 48 mm back pipe
	Material of Arms	armrest are made up of powder coated high pressure aluminium dye cast, cold rolled steel, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, SS 202(48 mm capsule pipe), N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Material of Legs	cold rolled steel, POWDER COATED HIGH PRESSURE ALUMINIUM DYE CAST LEGS, SS 202, SS 304, MS ERW TUBE, MS RECTANGULAR SECTION PIPE, MS round pipe - 1.6 mm thick, SS 202 (diameter 48 mm)
	Material of Side Bar Bracket	made up of chrome plated solid steel, solid steel v-shaped powder coated, N.A
DIMENSION	Overall Length in mm (±10 mm)	800, 850, 900, 950, 1000, 1050, 1100, 1150, 1170, 1200, 1225, 1300, 1350, 1400, 1450, 1500, 1550, 1600, 1655, 1700, 1760, 1800, 1840, 1900, 1950, 2000, 2050, 2100, 2150, 2200, 1585, 1800 mm (with each seat width of 475 mm divided by 48 mm SS 202 Capsule pipe handle)
	Overall Depth in mm (±5 mm)	350, 400, 450, 500, 550, 610, 640, 665, 700, 750, 800, 430, 510
	Overall Height in mm (±5 mm)	400, 450, 500, 550, 600, 650, 700, 760, 800, 835, 870, 900, 950, 1000, 430, 815
CERTIFICATION	Conforming to International Standard for Public Seating (*BIFMA X 5 dot 4 or equivalent)	YES, NO
COLOUR & FINISH	All steel component to be epoxy powder coated	50 micron thick, 60 micron thick, NA
WARRANTY	WARRANTY PERIOD IN NUMBER OF YEARS	1, 2, 3, 4, 5

Additional Specification Parameters - Public Place Seating Chair (100 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Product Evaluation	Product technical evaluation will be done on the basis of specification mentioned in ATC. All bidders should quoted for the product as per specification mentioned in ATC
Sample Evaluation/Demonstration	Bill will be asked for demonstration, failing in which will lead to disqualification. Demonstration/ sample evaluation will be done at NCI AIIMS Jhajjar

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sanchit Kaushik	124105, National Cancer Institute, AIIMS, New Delhi, Vill-Badsa, Tehsil : Badli, District : Jhajjar	100	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

- Experience Certificate for the supply of the same to any Govt/ PSU/ any renowned private organisation along with Supply/ Purchase Order.
- If the agency is registered under MSME or NSIC, then EMD exemption certificate needs to be enclosed.
- Make in india specific authorisation certificate needs to be enclosed.
- Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Specification

- The seat shell shall be a welded assembly of seat, back and side frame.
- The seat and back shall be made of 0.12±0.013cm thick CR steel sheet with oblong perforations. They shall be welded to side frame of size 32 mm x 5 mm thick HR steel.
- The welded assembly shall be powder coated (DFT 40-60 microns).
- The seat shall have a front water fall edge to provide popliteal clearance for comfortable seating.
- It also shall have a buttock support curve that not only provides rear support but also prevents small children from falling through the gap between seat and back. Clean and flat surfaces of seat and back shall aid in easy maintenance.
- The dimensions of seat shall be 50 cm (W) x 44.5 cm (D) and of back shall be 50 cm (W) x 40 cm (H).
- Understructure assembly shall consist of connecting beam and leg assembly made of M.S.E.R.W. oblong tube of size 75 mm x 50 mm x 2 mm thick.
- The welded structure assembly shall be powder coated (DFT 40-60 microns).

- 9. The leg assembly shall be fitted with shoes and levellers in Nylon.**
 - 10. The leg structure shall be designed with minimal area of contact close to ground providing easy access for cleaning purposes.**
 - 11. The shoes fitted to leg assembly shall help in aligning the structure front or back to back arrangements. Levelers should take care of uneven flooring .**
 - 12. Connecting beam shall be fitted with snap locking end cap. It also aids in side-by-side under structure alignment.**
 - 13. Armrest assembly shall consist of armrest frame and armrest.**
 - 14. The armrest frame shall be made up of size 31.7 mm x 4.7 mm thick H R steel and it shall be powder coated (DFT 4060 microns).**
 - 15. Overall Dimensions shall be Seat Height - 40.5 cm, Height - 77 cm.**
- Warranty - 05 yrs**

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer

is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---